
Security Portfolio of Products





EXPERTISE WITH HIGH PERFORMANCE

A wide range of solutions

Ecolink and UEI have extensive RF resources throughout the globe in support of the development of highly innovative and custom solutions.

Protocol agnostic for all applications:

Security Products

- 319.5 MHz, 345 MHz, 433 MHz
- Compatible with: Qolsys, Interlogix, GE, Honeywell, 2GIG and DSC

Home Automation

Z-Wave, Zigbee



Our connected home solutions cover everything from thermostats and controllers to sensors and switches, as well as smart home hubs that tie it all together.



SIMPLE AND AFFORDABLE SOLUTIONS

Sub-1 GHz Products

Products are developed with strength in batteryoperated wireless devices that are compatible products for 319.5 MHz, 345 MHz, 433 MHz protocols.

Our products have outstanding performance while being cost effective.



Because of the long range and low-power consumption, sub-GHz networking is particularly well suited to Internet of Things applications.



New Product Release

Q1 2023



2023 NEW PRODUCT RELEASE - SUB GIG

	RFID Reader	Flood/Freeze with Rope Sensor	Personal Panic Button	Motion Sensor (PIR)
Sensor				
Features	 Easy arming/disarming, simply press the Away/Stay button Audible beep and the RFID reader blinks green to confirm the RFID tag has been read Includes 2 pre-pared encrypted RFID tags with the option to pair up to a total of 10 Mifare DESFire Light tags Powered by four replaceable AA batteries 	 Simple installation in high-risk areas: under sinks, toilets, hot water heaters, washing machines Detects freeze risk and transmits alert Detects water and transmits flood notification alert avoiding expensive repairs Sensor Adapter /Mounting Bracket expands installation options The Water Detection Rope sensor can be routed down the floor covering a larger detection area Up to 10-year battery life 	 Wear it as a watch, on a lanyard or belt clip Mount it under desk or on a wall Supports up to three (3) different alerts or commands through button presses Single tap Double tap Press and hold Personalize with compatible smartwatch wristbands Up to 5-year battery life 	 High performing capture algorithm and Fresnel lens pattern. Decor friendly, designed with smooth rounded front finish and hidden lens. Mounts to room corners and flat walls Indoor or outdoor, day or night 40' X 40' coverage angle Pet immunity up to 85 lbs. Up to 5-year battery life













Motion Sensor



Motion Sensor

Compatible Panels:













Introducing Ecolink's Newest Wireless PIR Motion Sensor

Our wireless PIR sensor for security was designed with the installer in mind. Our improved form factor motion detector offers an easy, out of the box experience to reduce install time. Features high performing capture algorithm and Fresnel lens pattern.





Flood/Freeze



Compatible Panels:











Introducing Ecolink's Newest Flood/Freeze Sensor

Simply place the Ecolink Flood/Freeze sensor in high-risk areas, like under sinks, toilets or near the hot water tank. seconds of detecting water, the unit will transmit an alarm notifying the homeowner of a possible flood before it turns into an expensive repair.



Rope sensor acts as extension of the sensing probe in the leak detector



Panic Button



Compatible Panels:











Direct Line to Help

Portable, wearable, personal panic button designed to summon help in an emergency situation, who can then contact emergency dispatchers. Convenient wearable options, lanyard, belt clip or as a watch.



- One press alarm to dispatch help
- Supports up to three (3) different alerts or commands through button presses
- Single tap
- Double tap
- · Press and hold



RFID Reader



Compatible Panels:











Arming/Disarming an Alarm System Has Never Been Easier

Traditional security panels have numbered keypads which can be intimidating, confusing, and stressful to use. Instead of having to remember a code "Something you know," why not arm and disarm a security system with a single button press, no tag scan needed, or with an RFID tag.



Reader to tag communication secured with AES-128 encryption



345MHZ SOLUTIONS

	Motion	Door/Window	Contact	Smoke	Flood/Freeze	Temperature	GarageTilt	Keyfob
345 MHz	WST-742	WST-232	WST-222	WST-602	WST-612	mannan.	wsT-402	WST-102
Features	Up to 5-year battery life Multiple mounting options Field-selectable sensitivity Pet immunity of up to 50lbs Light immunity of 2000 lux	Up to 5-year battery life White and Brown covers/plastics included External contact input supported	Up to 5-year battery life	Up to 5-year battery life Smoke Detector audio detection within 6" of device	Up to 10-year battery life Water detection at depth of 1/64" via built-in probes	Battery (2 x AAA) powered Indoor use Operating temperature: 0 – 49 degrees C	Up to 8-year battery life Detects the angle of a garage door to determines open & close status	Up to 5-year battery life Lock / Unlock / Home buttons Star button varies based on panel brand and/or configuration
Co	mpatibility	Honeywell	\$2GIG.	earSky*				



319MHZ SOLUTIONS

	Motion	Door/Window	Contact	Smoke	Flood/Freeze	Garage Tilt	Keyfob
319 MHz	TX-E721	TX-E231	TX-E221	SLX-AD-T3	TX-E611	TX-E401	TX-E111 / 101
Features	Up to 5-year battery life Multiple mounting options Field-selectable sensitivity Pet immunity of up to 40lbs	Up to 8-year battery life White and Brown covers/plastics included	Up to 5-year battery life	Up to 4-year battery life Smoke Detector audio detection within 6" of device	Up to 10-year battery life Water detection at depth of 1/64" via built-in probes	Up to 8-year battery life Detects the angle of a garage door to determines open & close status	Up to 5-year battery life Lock / Unlock buttons Light / Star buttons vary based on panel brand and/or configuration (E101 only)
Compatibility Colsys Interlogix							




433MHZ SOLUTIONS

	Door/Window	Contact	Smoke	Garage Tilt	Keyfob
433 MHz	WST-200	WST-220	WST-600	WST-400	WST-100
Features	Up to 8-year battery life White and Brown covers/plastics included	Up to 5-year battery life	Up to 4-year battery life Smoke & CO audio detection within 6" of device	Up to 8-year battery life Detects the angle of a garage door to determines open & close status	Up to 5-year battery life Lock / Unlock / Home / Panic buttons
Compatibility		From Tyco Security Products			



Zigbee Portfolio





COVERING HOME AUTOMATION NEEDS

Zigbee Solutions

Our sensors are Zigbee 3.0 certified and integrate with IoT solutions.

We offer a wide range of products that are compatible with major smart hubs, pro security and home automation brands.

Our home security systems pack the power of wholehome security into an affordable DIY package.

We have you covered from motion detection, thermostats, flood/freeze sensors and our one-of-a-kind Firefighter TM .



Smart sensors and thermostats



ZIGBEE SOLUTIONS

	Motion	Door/Window	FireFighter™	Flood/Freeze	C02	Temp/ Humidity	Thermostat
Available / In Dev	PIRZB1-ECO PIRZB2-ECO	DWZB1-ECO	FFZB1-ECO	FLZB1-ECO	COZB1-ECO	THZB1-ECO	TBH300
Features	PIRZB2 to support Zigbee 3.1 & All-Hubs Up to 3-year battery life Multiple mounting options (corner or flat) Up to 19dBm output power Pet immunity up to 50 lbs.	Zigbee 3.0 Certified Up to 5-year battery life Up to 19dBm output power	Zigbee Home Automation Certified Up to 4-year battery life Smoke detector audio detection	Zigbee 3.0 Certified Up to 4-year battery life Water detection at depth of 1/64" via built-in probes	Zigbee 3.0 Certified Up to 2-year battery life CO2 concentration monitor 200ppm to 5000ppm Multi region certification	Zigbee 3.1 and All- Hubs Up to 3-year battery life Up to 19dBm output power Temp Accuracy: ±.5°C Range: 0°C to 50°C	Zigbee3.0, ClearSky and Bluetooth Temperature and humidity sensors built-in 24VAC, 5 Relays Virtual Agent support
0 -	mnatihility	Works w	ith an	nazon echo	nia 🔁	bee	



Universal Electronics - Confidential







CO2 Sensor









Measure and Monitor Carbon Dioxide in Rooms

Room air monitoring is usually limited to humidity and temperature. Especially in times of a pandemic, measuring and monitoring CO2 is also very important. Correct ventilation in crowded rooms, will significantly reduce the risk of infections including the coronavirus.



Reader to tag communication secured with AES-128 encryption



Z-Wave Portfolio





INTELLIGENT TECHNOLOGY

Z-Wave Solutions

Our Z-Wave product portfolio offers sensors and thermostats that are Z-Wave Plus certified.

We provide many choices to suit your needs that are compatible with major smart hubs and gateways.

Our promise is to be reliable by design with optimized RF performance and low power usage resulting in low maintenance operation.



Smart sensors and thermostats



	Motion	Door/Window	Temp/Humid	FireFighter™	Flood/Freeze	Garage Tilt	Garage Controller	Thermostat
Available / In Dev	PIRZWAVE2.5	DWZWAVE2.5	RTH100Z	FFZWAVE2.5	FLFZWAVE2.5-ECO	TILTZWAVE2.5	GCZW7-ECO	O>
Features	Z-Wave Plus™ Up to 1-year battery life Multiple mounting options Configurable pet immunity	Z-Wave Plus™ Up to 3-year battery life White and brown covers/plastics included	Z-Wave Plus™ Up to 1-year battery life Temp Accuracy: ±.1°F, Range: 0°C to 50°C RH Accuracy: ±5%, Range 5 to 95%	Z-Wave Plus™ Up to 5-year battery life Smoke and CO audio detection within 6" of device	Z-Wave Plus™ Up to 5-year battery life Water and freeze detection via built-in external probes	Z-Wave Plus™ Up to 5-year battery life Detects the angle of a garage door to determine open and close status	Z-Wave Long Range™ Line powered 120 VAC 60 Hz, 0.08A Maximum US Provides up to 2200 feet line of sight between the wireless controller and the closest Z-Wave Long Range panel/hub Chamberlin Security+ compatibility	Z-Wave Plus™ Temperature and humidity sensors built-in 24VAC, 5 Relays Optional battery power Virtual Agent support
Compatibility Works with SmartThings Works with SmartThings Flus IR								

Universal Electronics - Confidential

Long Range Garage Controler



Compatible Panels:











Ecolink Introduces First Certified Z-Wave® Long Range Product

Installing the controller to existing garage door operators provides 2200 feet line of site communications between the wireless controller and the paired Z-Wave long-range enabled panel or hub. Until Z-Wave Long-Range panels and hubs are available, the Garage Controller is also compatible with Z-Wave 300, 500 and 700 series panels. Includes Chamberlain Security+ compatibility.



Easy to install and connect via SmartStart and S2 encryption





Ecolink's Smart Z-Wave Thermostat

- Updating to a TBZ500 smart Z-Wave thermostat is one of the easiest and most cost-effective upgrades dealers can make to increase a home's energy efficiency.
- Pro security dealers will appreciate how easy the TBZ500 smart Z-Wave thermostat is to pair to major security systems, remote management applications and smart hubs within the Z-Wave ecosystem.
- Homeowners will benefit from greater control of their energy usage and remote access to manage and monitor the home's temperature anytime, anywhere.

Compatible Panels:



















New Product Concepts



Six-Piece Security Kit



Compatible with the Ecolink Ecosystem of Sensors

Introducing Ecolink's Home Security Kit

The Ecolink ClearSky Bridge connects to the internet router to self-monitor your home. Each of the devices (Contact Sensor, Motion, Chime + Siren and Key Fob) communicates with the Ecolink Bridge to send alerts to devices based off activity taking place within the system.



Simple to use, and NO ADDITIONAL APPS, ACCOUNTS OR LOGINS NEEDED



Thank you

Questions?

